GOVERNMENT OF ANDHRA PRADESH
ABSTRACT

Public Services - MA&UD Department - Certain allegations leveled against A.Srinivasa Rao, the then Assistant Engineer of Guntur Municipal Corporation on the misappropriation in purchase of chlorine gas and bleaching powder in Guntur Municipal Corporation - Departmental Proceedings initiated under Rule-20 of the A.P. Civil Services (Classification, Control & Appeal) Rules, 1991 - Appointment of Sri N.Srinivasulu, Superintending Engineer (PH), Guntur as an Enquiry Officer in place of Sri P.Adiseshu, Chief Engineer (retired), Vijayawada Municipal Corporation - Orders - Issued.

- -

MUNICIPAL ADMINISTRATION & URBAN DEVELOPMENT (Vig.II.1) DEPARTMENT

G.O.RT.No. 551 **Dated: 04-09-2019.**
Read the following:-

1. From the Director General, G.A. (V&E) Department, Vigilance Report No.71, (1365/V&E/DI/2007), dated.12.05.2008.
2. G.O.Rt.No.1651, MA&UD (E1) Department, dated.26.11.2008.
3. Served copy of G.O. received from the ENC (PH), A.P., Hyderabad, Letter No.1141/CS2/2008, dated.30.01.2009.
4. G.O.Rt.No.673, MA&UD (E1) Department, dated.14.06.2010.
5. Govt.Memo.No.10169/E1/2008, MA&UD (E1) Department, dt.14.06.2010.
6. Govt.Memo.No.10169/E1/2008-7, MA&UD (E1) Dept., dt.15.05.2012.
7. From the ENC (PH), A.P., Guntur, Letter No.45/NZVD/CS2/2012, dated.08.05.2019

***

O R D E R:

Whereas, an inquiry under Rule-20 of the A.P. Civil Services (Classification, Control and Appeal) Rules, 1991 is being held against Sri A.Srinivasa Rao, the then Assistant Engineer of Guntur Municipal Corporation on the misappropriation in purchase of chlorine gas and bleaching powder in Guntur Municipal Corporation and orders were issued appointing Sri P.Adiseshu, Superintending Engineer, Vijayawada Municipal Corporation as an Enquiry Officer to enquire into the charges framed against the above said official vide reference 4th read above.

2. In the reference 5th read above, orders were issued appointing Sri A.Satyanarayana Rao, Executive Engineer (PH) Division, Ongole as Presenting Officer, to present the case before Enquiry Officer on behalf of Disciplinary Authority. Subsequently, in the reference 6th read above, Sri M.Surendra Babu, Executive Engineer, Guntur Municipal Corporation was appointed as Presenting Officer in place of Sri A.Satyanarayana Rao, Executive Engineer (PH) Division, Ongole.

3. In the reference 7th read above, the ENC (PH), A.P., Guntur has submitted that, Sri P.Adiseshu, Chief Engineer & Enquiry Officer, Vijayawada Municipal Corporation was retired from service on 30.04.2019 on attaining the age of

(P.T.O.)

superannuation. Therefore, the ENC (PH) has requested the Government to appoint another person as enquiry officer in place of Sri P.Adiseshu, CE (Retd) to enquire the case and submit the report for taking further action in this case.

4. Now, therefore, in exercise of the powers conferred by sub-rule (2) of Rule-20 of A.P. Civil Services (CC&A) Rules, 1991, the disciplinary authority hereby appoints Sri N.Srinivasulu, Superintending Engineer (PH), Guntur as an Enquiry Officer in place of Sri P.Adiseshu, Chief Engineer (retired), Vijayawada Municipal Corporation to enquire into charges framed against Sri A.Srinivasa Rao, the then Assistant Engineer, Guntur Municipal Corporation.

5. The Enquiry Officer shall submit his report within three months.

6. The material available in this Department i.e., Article of Charges, Written Statement of Defence of the Charged Officers are herewith enclosed. The Engineer-In-Chief (PH), A.P., Guntur shall provide the required remaining material to the Enquiry Officer.

7. The receipt of the G.O., shall be acknowledged.

(BY ORDER AND IN THE NAME OF THE GOVERNOR OF ANDHRA PRADESH)

J.SYAMALA RAO
SECRETARY TO GOVERNMENT

To
Sri N.Srinivasulu, Superintending Engineer (PH) & Enquiry Officer,
Guntur - **through** the ENC (PH), A.P., Guntur (w.e.).
Sri P.Adiseshu, Chief Engineer (retired), Vijayawada Municipal Corporation
- **through** the ENC (PH), A.P., Guntur
Sri M.Surendra Babu, Executive Engineer & Presenting Officer,
Guntur Municipal Corporation - **through** the ENC (PH), A.P., Guntur.
Sri A.Srinivasa Rao, the then Assistant Engineer, Guntur Municipal Corporation
- **through** the ENC (PH), A.P., Guntur.
The Engineer-In-Chief (PH), A.P., Guntur.

Copy to:

The Director General, G.A. (V&E) Department, A.P., Vijayawada.
The Secretary to A.P. Vigilance Commission, 5th Block, A.P. Secretariat.
The Commissioner, Municipal Corporation, Guntur.
SF / SC.

// FORWARDED BY ORDER //

SECTION OFFICER.